


AT SEA

+ ISLANDS OF THE PACIFIC


RECORD

January & February 1967

CATALOG



7530-222-3525  
FEDERAL SUPPLY SERVICE  
(GPO)



AT SEA

| Field Number | Species               | Date         | Position                                    |
|--------------|-----------------------|--------------|---|
| 2656         | Sterna fuscata        | 13 Jan 1967  | 10° 31'N 168° 55'W                          |
| 2657         | Pterodroma leucoptera | 13 Jan 1967  | 09° 25'N 168° 59'W                          |
| 2658         | Pterodroma e. externa | 13 Jan 1967  | 09° 23'N 169° 02'W                          |
| 2659         | Oceanodroma leucorhoa | 13 Jan 1967  | 09° 20'N 169° 05'W                          |
| 2660         | Pterodroma e. externa | 13 Jan 1967  | 09° 17'N 169° 07'W                          |
| 2661         | Sterna fuscata        | 13 Jan 1967  | 10° 31'N 168° 55'W                          |
| 2663         | Puffinus pacificus    | 14 Jan 1967  | 05° 03'N 172° 36'W                          |
| 2662         | Puffinus pacificus    | 14 Jan 1967  | 04° 57'N 172° 42'W                          |
| 2664         | Puffinus pacificus    | 15 Jan 1967  | 04° 46'N 172° 51'W                          |
| 2665         | Sterna fuscata        | 15 Jan 1967  | 03° 54'N 173° 12'W                          |
| 2666         | Pterodroma e. externa | 15 Jan 1967  | 03° 53'N 173° 13'W                          |
| 2667         | Puffinus nativitatus  | 15 Jan 1967  | 03° 53'N 173° 12'W                          |
| 2668         | Oceanodroma leucorhoa | 16 Jan. 1967 | 01° 51'N 176° 04'W                          |
| 2669         | Puffinus pacificus    | 16 Jan. 1967 | 01° 23'N 176° 27'W                          |
| 2670         | Sterna fuscata        | 17 Jan 1967  | 1 mile West of Howland Island Pacific Ocean |
| 2671         | Sterna fuscata        | 17 Jan 1967  | " "   |
| 2672         | Sterna fuscata        | 17 Jan 1967  | " "   |
| 2673         | Sterna fuscata        | 17 Jan 1967  | " "   |
| 2674         | Sterna fuscata        | 17 Jan 1967  | " "   |
| 2675         | Sterna fuscata        | 17 Jan 1967  | " "   |
| 2676         | Sterna fuscata        | 17 Jan 1967  | " "   |
| 2677         | Sterna fuscata        | 18 Jan 1967  | 00° 41'N 177° 28'W                          |
| 2678         | Sterna fuscata        | 18 Jan 1967  | 00° 41'N 177° 28'W                          |
| 2679         | Sterna fuscata        | 18 Jan 1967  | 00° 41'N 177° 28'W                          |
| 2680         | Sterna fuscata        | 18 Jan 1967  | 00° 41'N 177° 28'W                          |
| 2681         | Puffinus pacificus    | 5 Feb 1967   | 12° 17'S 176° 32'W                          |
| 2682         | Phaethon lepturus     | 5 Feb 1967   | 11° 52'S 176° 30'W                          |
| 2683         | Puffinus pacificus    | 5 Feb 1967   | 12° 28'S 176° 34'W                          |
| 2684         | Gygis alba            | 6 Feb 1967   | 14° 43'S 177° 50'W                          |

| Sex Data   | Weight & Fat cond.  | Misc. Data  | Prep.                            |
|--|---------------------|---|----------------------------------|
| ovary 2x10 mm " Imm.<br>oviduct straight                                   | 163gms - light fat  | M<br>CN<br>NO WING MOLT<br>BODY - FEATHERS IN SHEATHES<br>IRIS BROWN, BILL BLACK, LEGS BLACK & BLUE | flat skin/<br>S.<br>Heriot JJ #2 |
| ♂ TESTES - 5x2.5 (DARK)<br>AD. BROOD PATCH REFEATHERING<br>No brood patch  | 126gms - LIGHT fat  | M<br>CN<br>M<br>S.<br>TUXTON 48   |                                  |
| ovary 12x4 mm<br>♀ Ovary 5x3 granular<br>oviduct not straight              | 90gms - fat light   | M<br>CN<br>M<br>S.<br>J.E. Gordon #5  |                                  |
| No brood patch   | 48gms - light fat   | M<br>CN<br>M<br>S.<br>Thompson, F.C. #49  |                                  |
|  | 495gms -            | Alcoholic<br>CN<br>M<br>Balcomb #135  |                                  |
| No brood patch   | 202gms -            | Alcoholic<br>CN<br>M<br>Balcomb #136  |                                  |
| L. Testis 5x3 mm<br>No BROOD PATCH   | 365gms - fat light  | SKIN ✓<br>S.B. ✓<br>CN<br>M<br>F. Smith #185  |                                  |
| ovary 11x4 mm (granular)   | 347grams - light    | SKIN ✓<br>S.B. ✓<br>CN<br>M<br>TUXTON 49  |                                  |
| L.Ovum 1mm<br>No brood patch   | 387gms - fat mod    | SKIN ✓<br>S.<br>CN<br>M<br>J.E. Gordon #6   |                                  |
| L.Testis 4x2 mm  |                     | Alcoholic<br>CN<br>M<br>J. J. Heriot #3   |                                  |
| No brood patch   | 165gms              | SKIN ✓<br>M<br>CN<br>J. J. Heriot #4  |                                  |
| No brood patch   | 443gms - fat light  | SKIN ✓<br>M<br>CN<br>J. J. Heriot #4  |                                  |
| ovary 10x3 mm<br>oviduct thin, straight                                    | 349 gms - fat light | SKIN ✓<br>M<br>CN<br>Thompson #50   |                                  |
| No brood patch   | 37.8gms - fat light | SKIN ✓<br>M<br>CN<br>F. Smith #186  |                                  |
| ovary 6x4 mm<br>largest ovum 1mm<br>ovary 3x3 mm<br>granular               |                     | ALCOHOLIC ✓<br>E<br>flat skin/<br>S.<br>CN<br>TUXTON 50   |                                  |
| NO BROOD Patch   |                     | Flat. SKIN/<br>S.<br>CN<br>J.E. Gordon #7   |                                  |
| brood patch bare<br>ovary 12x6 mm<br>large ovum 3 mm.                      | 277.5grams.         | E<br>flat skin/<br>S.<br>CN<br>TUXTON 51  |                                  |
| BROOD Patch Bare<br>OVARY GRANULAR - 13x6mm<br>L.OVUM 1mm OVIDUCT ENLARGED | 180g. light fat     | flat skin/<br>S.<br>CN<br>V. A. Bass  | X                                |
| Brood patch bare<br>ovary 18x10 mm<br>large ovum 4x3 mm                    | 207gms light fat    | Alcoholic<br>CN<br>M<br>TUXTON 53   |                                  |
| BROOD Patch Bare.  |                     | FWS#793-49679 SKIN ✓<br>S.<br>CN<br>F. Smith #188   |                                  |
| brood patch bare   | 230gA.              | SKIN ✓<br>S.<br>CN<br>TUXTON 52   |                                  |
| L.Testis 16x6 mm   | 238gms. fat heavy   | SKIN ✓<br>M<br>CN<br>F. Smith #189  |                                  |
| BROOD Patch Frayed   |                     | SKIN ✓<br>S.<br>CN<br>TUXTON 51   |                                  |
| OVARY - 20x7 mm<br>L.OVUM - 4.5 mm, OVIDUCT - enlarged                     | 184g. mod fat.      | SKIN ✓<br>S.<br>CN<br>F. Smith #188   |                                  |
| brood patch bare; ovary 10x8 mm<br>large ovum 15x4 mm.                     | 170gms fat moderate | SKELETON ✓<br>S.<br>CN<br>TUXTON 52   |                                  |
| brood patch bare   | 171gms              | SKELETON ✓<br>S.<br>CN<br>Thompson #52  |                                  |
| ovary 14x10 mm<br>large ovum 15 mm   | 221gms              | SKELETON ✓<br>S.<br>CN<br>Thompson #51  |                                  |
| brood patch bare   |                     | ALCOHOLIC ✓<br>FSkin ✓<br>S.<br>CN<br>TUXTON 54   |                                  |
| ovary 16 mm<br>large ovum 39 mm  | 225g.               | SKIN ✓<br>S.<br>CN<br>F. Smith #187   |                                  |
| Brood patch bare   |                     | SKELETON ✓<br>S.<br>CN<br>Thompson #68  |                                  |
| brood patch bare   | 217gms fat heavy    | SKIN ✓<br>S.<br>CN<br>TUXTON #55  |                                  |
| L. Testis, 10x5 mm<br>R. Testis, 7x4 mm                                    |                     | SKIN ✓<br>S.<br>CN<br>Thompson #60  |                                  |
| No brood patch   | 344gms              | ALCOHOLIC ✓<br>SKELETON ✓<br>S.<br>CN<br>Thompson #70   |                                  |
| Ovary 4x2 mm, granular   |                     |   |                                  |
| L. Testis 5x3 mm,<br>NO BPatch   | 279gms light fat    |   |                                  |
|  | 370gms              |   |                                  |
| 11x5 mm Ovary<br>immature ovum BP bare                                     | 124gms              |   |                                  |

| Field Number | Species               | Date       | Position                        |
|--------------|-----------------------|------------|---------------------------------|
| 2685         | Anous stolidus        | 6 Feb 1967 | 14° 35'S 177° 46'W              |
| 2686         | Gygis alba            | 6 Feb 1967 | 14° 35'S 177° 46'W              |
| 2687         | Anous stolidus        | 6 Feb 1967 | 14° 03'S 177° 06'W              |
| 2688         | Sterna fuscata        | 6 Feb 1967 | 14° 12'S 177° 13'W              |
| 2689         | Sterna fuscata        | 6 Feb 1967 | 14° 12'S 177° 13'W              |
| 2690         | Gygis alba            | 6 Feb 1967 | 14° 55'S 178° 00'W              |
| 2691         | Gygis alba            | 6 Feb 1967 | 14° 55'S 178° 00'W              |
| 2692         | Gygis alba            | 6 Feb 1967 | 14° 55'S 178° 00'W              |
| 2693         | Anous minutus         | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2694         | Pterodroma leucoptera | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2695         | Anous minutus         | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2696         | Sula sula             | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2697         | Anous minutus         | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2698         | Sterna anaethaeus     | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2699         | Anous minutus         | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2700         | Gygis alba            | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2701         | Sula sula             | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2702         | Thalasseus bergii     | 7 Feb 1967 | 17° 07'S 179° 47'W              |
| 2703         | Sterna anaethaeus     | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2704         | Sterna anaethaeus     | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2705         | Sula leucogaster      | 7 Feb 1967 | 17° 03'S 179° 41'W              |
| 2706         | Thalasseus bergii     | 8 Feb 1967 | 8 miles Southwest of Suva, Fiji |
| 2707         | Thalasseus bergii     | 8 Feb 1967 | " "                             |
| 2708         | Thalasseus bergii     | 8 Feb 1967 | " "                             |
| 2709         | Thalasseus bergii     | 8 Feb 1967 | " "                             |
| 2710         | Sterna fuscata        | 8 Feb 1967 | " "                             |
| 2711         | Sterna fuscata        | 8 Feb 1967 | " "                             |
| 2712         | Sterna fuscata        | 8 Feb 1967 | " "                             |
| 2713         | Anous minutus         | 8 Feb 1967 | " "                             |

| Sex Data<br>No BPatch                                   | Weight & Fat Cond.     | Misc. Data | Prep.                  |
|---|------------------------|------------|------------------------|
| adult - Male - brood patch refeathering<br>testes 5mm   | 178g.                  | CN         | Thompson #61           |
| Imm-SA - Male no B.P.<br>testes dark 7x2mm              | 122g light to moderate | M CN       | SKIN S TUXSON 71       |
| adult female ovary 12x5mm                               | 199 GRAMS - MOD.       | M CN       | SKIN S TUXSON 61       |
| brood patch bare lar. 1.3mm                             | 213.5 GRAMS - Mon.     | M CN       | FLATSKIN S TUXSON 62   |
| adult male - no B.P.<br>testes(white) 11x4mm            | 200grams - MOD.        | M CN       | FLATSKIN S TUXSON 59   |
| brood patch bare<br>ovary 12x5mm                        | 112.5gms - light       | M CN       | SKIN S TUXSON #65      |
| Ad. brood patch bare<br>L.Testis 4x3mm, dark            | 135gms light           | M CN       | F. Smith #206          |
| brood patch bare<br>ovary 10x3mm                        | 130.5gms light         | M CN       | F. Smith #66           |
| Large ovum 2.3mm  |                        | M CN       |                        |
| No brood patch  | 94gms                  | E CN       | F. Smith #184          |
| brood patch refeathering<br>ovary 11x7mm large ovum 2mm | 158gms fat moderate    | M CN       | SKIN E F. Smith #198   |
| ovule convoluted  |                        | M CN       |                        |
| brood patch bare  | 103gms fat moderate    | M CN       | SKIN E F. Smith #204   |
| ovary 14x6mm  |                        | M CN       | Alcoholic E            |
| largest ovum 4mm  |                        | M CN       |                        |
| brood patch bare  | 906gms                 | E CN       | F. Smith #211          |
| L.Testis 6x3mm, dark                                    | 110gms fat light       | M CN       | SKIN S F. Smith #199   |
| BPatch bare   |                        | M CN       |                        |
| R.Testes 5x3mm  | 126 gms                | M CN       | Alcoholic E            |
| L.Testes 3x3mm >dark                                    |                        | M CN       |                        |
| BPatch bare   | 106 gms. light Fat     | M CN       | Skeleton S             |
| BPatch bare   |                        | M CN       |                        |
| testes 13x3mm   | 127gms.                | M CN       | Alcoholic S            |
| No brood patch  | 858gms. Fat mod.       | M CN       | SKIN S TUXSON #67      |
| ovary 7x13mm  |                        | M CN       |                        |
| large ovum 4mm  | 367gms fat moderate    | M CN       | SKIN S E Balcomb       |
| brood patch bare  |                        | M CN       |                        |
| L.Testis 6x4mm  | 169gms fat moderate    | M CN       | SKIN S F. Smith #202   |
| brood patch bare  |                        | M CN       |                        |
| ovary 11x5mm  | 191gms fat moderate    | M CN       | SKIN S F. Smith #203   |
| largest ovum 2mm  |                        | M CN       |                        |
| AB.L. Testis 13x5mm                                     | 106.8gms fat mod       | M CN       | SKIN S J. E. Gordon #9 |
| R.Testis 12x4mm   |                        | M CN       |                        |
| BPatch bare   | 330gms.                | M CN       | Alcoholic S            |
| No brood patch  | 342gms fat light       | M CN       | SKIN S TUXSON #68      |
| L.Testis 4x1.5mm  |                        | M CN       |                        |
| AB.brood patch bare                                     | 288gms fat light       | M CN       | SKIN S TUXSON #70      |
| L.Testis 18x7mm   |                        | M CN       |                        |
| 13x6mm Ovary; 1.5mm largest ovum                        | 328gms. fat light      | M CN       | SKIN S Thompson #71    |
| BPatch bare   |                        | M CN       |                        |
| No brood patch  | 184gms fat moderate    | M CN       | flat skin S            |
| L.Testis 6x3mm  |                        | M CN       |                        |
| BPatch refeathering                                     | 191gms.                | M CN       | Alcoholic S            |
| 10 BPatch   | 198gms.                | M CN       | Alcoholic S            |
| brood patch refeathering                                | 115gms light           | M CN       | SKIN S                 |
| L.Testis 3x2mm  |                        | M CN       |                        |

| Field Number | SPECIES                  | Date       | Position                        |
|--------------|--------------------------|------------|---------------------------------|
| 2714         | <i>Anous minutus</i>     | 8 Feb 1967 | 8 miles Southwest of Suva, Fiji |
| 2715         | <i>Sula sula</i>         | 8 Feb 1967 | " "                             |
| 2716         | <i>Sula sula</i>         | 8 Feb 1967 | " "                             |
| 2717         | <i>Thalasseus bergii</i> | 8 Feb 1967 | " "                             |


Sex Data  
 No BPatch  
 ovary 12x8mm granular  
 Ad. large ovum 15x4mm  
 L. Testis 15x7mm Ad.  
 No brood patch  
 ovary 10x6mm, ovum(large) 3mm  
 oviduct convoluted


Weight & Fat Cond  
 113gms  
 117gms fat moderate  
 1148gms fat light  
 318gms fat moderate

Misc. Data  
 M  
 CN  
 M  
 CN  
 M  
 CN  
 M  
 CN

Alcoholic  
 SKIN  
 S  
 SKIN  
 S.  
 SKIN  
 S.

Prep  
 Thompson #65  
 M. J. Scanlon #6  
 V. A. Bass  
 F. Smith #200





P1

Island Collections

SIC # 17

| Field Number | SPECIES              | Date         | Location                     | Sex Data  | Weight & fat cond.    | Misc. Data                  | Prep.            |
|--------------|----------------------|--------------|------------------------------|---|-----------------------|-----------------------------|------------------|
| 6858         | Gygis alba           | 28 Jan. 1967 | Phoenix Island Pacific Ocean | Ad brood patch bare<br>ovary 8x4mm large ovum 3mm                             | 109.9gms fat moderate | M SKIN S                    | F. Smith # 191   |
| 6859         | Gygis alba           | 28 Jan 1967  | " "                          | Ad. brood patch refeathering<br>L. Testis 5x4mm adult male - B.P. unfathering | 108.8gms light        | CN M SKIN S                 | F. Smith # 192   |
| 6860         | Gygis alba           | 28 Jan 1967  | " "                          | Testes light 6x3mm 1mm. Male NO BROOD PATCH                                   | 95.0gms light.        | M S SKIN                    | TUXSON 62        |
| 6861         | Gygis alba           | 28 Jan 1967  | " "                          | Testes - 4x1.5mm Testes 3x1mm Right 5x1mm L                                   | 91.4gms MOD.          | M CN S SKIN                 | TUXSON 57        |
| 6862         | Procelsterna cerulea | 28 Jan 1967  | " "                          | No brood patch  | 50.0gms               | M CN SKIN                   | THOMPSON #72     |
| 6863         | " "                  | 28 Jan 1967  | " "                          | No brood patch  | 50.4gms light         | M CN S SKIN                 | F. Smith # 193   |
| 6864         | " "                  | 28 Jan 1967  | " "                          | ovary 8x4mm, granular Testes - 4x1mm R, 2x1--L                                | 53.6gms               | M CN S SKIN                 | THOMPSON #73     |
| 6865         | " "                  | 28 Jan. 1967 | " "                          | no B.Patch adult male - no brood patch  | 50.8gms. LIGHT        | M CN S SKIN                 | TUXSON 63        |
| 6866         | " "                  | 28 Jan 1967  | " "                          | testes dark - 2x1.9mm No brood patch  | 58.0gms mod.          | M CN S SKIN                 | F. Smith # 194   |
| 6867         | " "                  | 28 Jan 1967  | " "                          | ovary 6x4mm granular No brood patch   | 54.3gms light         | M CN S SKIN                 | F. Smith # 195   |
| 6868         | " "                  | 28 Jan 1967  | " "                          | L. Testis 2x1mm, dark adult male - no brood patch                             | 54.4gms light         | M CN S SKIN                 | TUXSON 64        |
| 6869         | " "                  | 28 Jan 1967  | " "                          | testes dark 3x2 mm ADULT Male NO Brood Patch                                  | 45.3gms LIGHT         | M CN S SKIN                 | TUXSON 56        |
| 6870         | " "                  | 28 Jan. 1967 | " "                          | Testis 3x.9mm No brood patch  | 51.5gms mod           | M CN S SKIN                 | F. Smith # 197   |
| 6871         | " "                  | 28 Jan. 1967 | " "                          | L. Testis 1x.5mm No brood patch   | 54.9gms. mod          | M CN Band #692-04210 S SKIN | F. Smith # 190   |
| 6872         | Pluvialis dominica   | 29 Jan. 1967 | Hull Island                  | Pacific Ocean Ad. Bare brood patch  | 128gms HEAVY          | M CN S SKIN                 | TUXSON 58        |
| 6873         | Sterna fuscata       | 29 Jan 1967  | " "                          | L. Testis 10x8mm No brood patch   | 164gms                | M CN S SKIN                 | F. Smith # 196   |
| 6874         | Anous stolidus       | 30 Jan 1967  | " "                          | L. Testis 3x1mm Dark  | 199gms                | M CN S SKIN                 | Thompson # 53    |
| 6875         | Anous minutus        | 30 Jan 1967  | " "                          | L. Testis 2x1mm No brood patch  | 115.5gms              | M CN S SKIN                 | M. J. Scanlon #5 |
| 6876         | Anous minutus        | 30 Jan. 1967 | " "                          | No brood patch ovary 11x4mm granular  | 100gms                | M CN S SKIN                 | Thompson # 54    |
| 6877         | Anous minutus        | 30 Jan 1967  | " "                          | No brood patch ovary 7x4mm large ovum 2mm                                     | 93.4gms fat moderate  | M CN S SKIN                 | P. Kriesel       |
| 6878         | Anous minutus        | 30 Jan 1967  | " "                          | Oviduct straight No brood patch bare  | 96gms fat light       | M CN S SKIN                 | F. Smith # 201   |
| 6879         | Anous minutus        | 30 Jan 1967  | " "                          | ovary 11x7mm large ovum 3mm   | 91gms                 | M CN S SKIN                 | J. E. Gordon #8  |
| 6880         | Arenaria interpres   | 31 Jan 1967  | " "                          | No brood patch gonads destroyed   | 119gms                | frozen                      |                  |
| 6881         | Arenaria interpres   | 31 Jan 1967  | " "                          | gonads destroyed  | 124gms                | frozen                      |                  |
| 6882         | Arenaria interpres   | 31 Jan 1967  | " "                          | gonads destroyed  | 90gms                 | frozen                      |                  |
| 6883         | Arenaria interpres   | 31 Jan 1967  | " "                          | gonads destroyed  | 112gms                | frozen                      |                  |
| 6884         | Arenaria interpres   | 31 Jan 1967  | " "                          | gonads rotten   | 139gms                | frozen                      |                  |
| 6885         | Anous minutus        | 31 Jan 1967  | " "                          | gonads rotten   | 113gms                | M CN skeleton               | Thompson #66     |
| 6886         | Arenaria interpres   | 31 Jan 1967  | " "                          | gonads rotten   | 118gms                | frozen                      |                  |

SIC # 17


P2

p<sup>3</sup>

SIC # 17

SIC # 17 p<sup>4</sup>

| Field Number | SPECIES                     | Date         | Location       | Sex Data      | Weight & Fat Cond.           | Misc. Data   | Prep           |
|--------------|-----------------------------|--------------|----------------|---------------|------------------------------|--|----------------|
| 6887         | <i>Arenaria interpres</i>   | 31 Jan. 1967 | Hull Island    | Pacific Ocean | 110gms                       | frozen ✓   |                |
| 6888         | <i>Arenaria interpres</i>   | 31 Jan. 1967 | "              | "             | 122gms                       | frozen ✓   |                |
| 6889         | <i>Arenaria interpres</i>   | 31 Jan 1967  | "              | "             | 109gms                       | frozen ✓   |                |
| 6890         | <i>Sterna fuscata</i>       | 31 Jan 1967  | "              | "             | 187gms light                 | M FWS#893-25438 SKIN<br>CN S ✓<br>M.<br>Skeleton ✓ | TUXSON 69      |
| 6891         | <i>Numenius tahitiensis</i> | 31 Jan 1967  | "              | "             | 603gms                       | CN   | Thompson # 67  |
| 6892         | <i>Arenaria interpres</i>   | 17 Feb 1967  | Howland Island | Pacific Ocean | 109.3gms                     | frozen ✓   |                |
| 6893         | <i>Sterna lunata</i>        | 17 Feb 1967  | "              | "             | 126gms fat light             | M<br>SKIN ✓<br>S.                                  | F. Smith # 210 |
| 6894         | <i>Arenaria interpres</i>   | 19 Feb 1967  | Baker Island   | Pacific Ocean | 86gms. moderate              | M.<br>CN<br>SKIN ✓                                 | Thompson # 57  |
| 6895         | " "                         | 19 Feb 1967  | "              | "             | 118gms heavy                 | CN.<br>S.  | F. Smith       |
| 6896         | " "                         | 19 Feb 1967  | "              | "             | 94gms medium                 | M<br>CN<br>S.<br>SKIN ✓                            | Thompson # 56  |
| 6897         | " "                         | 19 Feb 1967  | "              | "             | 107gms moderate              | M.<br>CN.  | F. Smith       |
| 6898         | " "                         | 19 Feb 1967  | "              | "             | 124gms Moderate to Heavy fat | M<br>CN<br>SKIN ✓<br>S                             | Thompson # 55  |



*Island*

1  
62  
29  
5  
—  
96

ISLAND  
CATALOG.

SIC 17

